




**PUNTALI E COPRITESTA  
ROTONDI**

## PUNTALI PER INTERNO ROTONDI

### Puntali alettati in PE

*Ribbed insert for round tubes in PE*

| Ø testa<br>Ø head | A  | B |
|-------------------|----|---|
| 10                | 13 | 5 |
| 12                | 10 | 5 |
| 14                | 14 | 5 |
| 16                | 16 | 5 |
| 18                | 13 | 5 |
| 20                | 13 | 5 |
| 22                | 13 | 5 |
| 24                | 20 | 5 |
| 25                | 19 | 5 |
| 26                | 20 | 5 |
| 28                | 19 | 5 |
| 30                | 19 | 5 |
| 32                | 19 | 5 |
| 35                | 20 | 5 |
| 38                | 22 | 5 |
| 40                | 22 | 5 |
| 45                | 30 | 5 |
| 48                | 22 | 7 |
| 50                | 22 | 5 |
| 60                | 24 | 5 |
| 70                | 33 | 6 |
| 80                | 33 | 5 |
| 120               | 37 | 5 |




Misure riferite al diametro esterno tubo  
Size referred to diameter external tubes

### Puntali rotondi alettati e filettati in PP

*Threaded round insert in PP*

| Ø testa<br>Ø head | A  | B |
|-------------------|----|---|
| 18                | 18 | 6 |
| 20                | 18 | 6 |
| 22                | 19 | 6 |
| 25                | 19 | 6 |
| 28                | 19 | 6 |
| 28x2              | 19 | 6 |
| 30                | 19 | 6 |
| 32                | 19 | 6 |
| 35                | 20 | 6 |
| 40                | 20 | 6 |
| 45                | 23 | 6 |
| 50                | 21 | 6 |
| 60                | 25 | 7 |
| 80                | 31 | 8 |




Misure riferite al diametro esterno tubo - Filetto M8 - M10 Da non usare per rotelle  
Size referred to diameter external tubes - Thread M8 - M10 Do not use with castors

### Puntali per ghiera

*Round insert with large base*


| Ø gambo x<br>testa<br>Ø for head leg | A  | B | C |
|--------------------------------------|----|---|---|
| 8 x 18                               | 16 | 3 | 5 |
| °7-8 X 18                            | 13 | 3 | 5 |
| 10 X 20                              | 17 | 3 | 5 |
| 12 X 24                              | 17 | 4 | 5 |
| 14 X 28                              | 17 | 4 | 5 |
| °15-16 X 26                          | 16 | 4 | 5 |
| 17 X 32                              | 18 | 4 | 5 |
| 18 X 32                              | 19 | 4 | 6 |
| °19-20 X 34                          | 21 | 4 | 5 |
| °22-23 X 36                          | 29 | 4 | 6 |



## PUNTALI PER INTERNO ROTONDI


Innesto per tubi rotondi in PS  
*Tube connectors in PS*

| Ø A | B  | C   |
|-----|----|-----|
| 35  | 29 | 8MA |
| 40  | 32 | 8MA |
| 50  | 34 | 8MA |




Puntali copritesta, a testa sferica alettati in PE  
*Spherical round cover tube in PE*

| Ø testa<br>Ø head | A  | B    |
|-------------------|----|------|
| 16                | 12 | 7    |
| 18                | 12 | 7,5  |
| 20                | 15 | 9,0  |
| 22                | 15 | 10,0 |
| 25                | 15 | 11,0 |
| 28                | 16 | 12,5 |
| 30                | 18 | 13,5 |
| 32                | 18 | 16,5 |
| 35                | 20 | 17,0 |
| 40                | 22 | 19,5 |
| 60                | 30 | 32   |



Puntali copritesta, a testa semisferica in PP  
*Spherical round cover tube in PP*


| Ø Testa<br>Ø head | A  | B    |
|-------------------|----|------|
| 20                | 15 | 7,5  |
| 22                | 17 | 8,5  |
| 25                | 18 | 10   |
| 30                | 20 | 10,5 |



## COPRITESTA ROTONDI


### Copritesta alettato in PE *Ribbed insert in PE*

| Ø Testa<br>Ø head | A   | B |
|-------------------|-----|---|
| 10                | 8   | 2 |
| 12                | 8   | 2 |
| 14                | 8   | 2 |
| 15                | 8   | 3 |
| 16                | 9,5 | 3 |
| 18                | 9   | 3 |
| 20                | 9,5 | 4 |
| 22                | 10  | 4 |
| 25                | 13  | 4 |
| 28                | 15  | 5 |
| 30                | 17  | 5 |
| 32                | 16  | 5 |
| 35                | 17  | 5 |
| 40                | 17  | 3 |
| 45                | 17  | 5 |
| 50                | 17  | 5 |
| 60                | 17  | 5 |
| 80                | 17  | 6 |
| 100               | 29  | 6 |



### Copritesta alettato in PE con testa in FE cromato *Ribbed insert in PE with metal head*


| Ø Testa<br>Ø head | A  | B |
|-------------------|----|---|
| 13                | 8  | 2 |
| 14                | 10 | 2 |
| 16                | 10 | 2 |
| 18                | 10 | 2 |
| 19                | 10 | 2 |
| 20                | 10 | 3 |
| 22                | 11 | 3 |
| 25                | 15 | 3 |
| 25x1.5            | 15 | 3 |
| 25x1.8            | 15 | 3 |
| 25x2.0            | 15 | 3 |
| 25x4.5            | 15 | 3 |
| 28                | 15 | 3 |
| 28.6              | 15 | 3 |
| 30                | 16 | 3 |
| 32                | 16 | 3 |
| 35                | 16 | 3 |
| 38                | 16 | 3 |
| 40                | 16 | 3 |
| 45                | 16 | 3 |



### Copritesta rotondi in ABS *Round insert in ABS*

*Colore: NERO - CROMATO - DORATO*

| Ø T. | S.T. | A   | B   |
|------|------|-----|-----|
| Ø T. | S.T. |     |     |
| 8    | 1    | 4,5 | 1,5 |
| 10   | 1    | 5   | 2   |
| 12   | 1    | 5   | 2   |
| 13   | 1    | 6   | 2   |
| 14   | 1    | 8   | 3   |




## COPRITESTA ROTONDI

Copritesta rotondi in ABS

Round insert in ABS

Colore: NERO - CROMATO


| Ø T. | S.T. | A  | B |
|------|------|----|---|
| Ø T. | S.T. | A  | B |
| 16   | 1    | 8  | 3 |
| 16   | 1.2  | 8  | 3 |
| 16   | 1.5  | 8  | 3 |
| 18   | 1    | 8  | 3 |
| 18   | 1.2  | 8  | 3 |
| 18   | 1.5  | 8  | 3 |
| 19   | 1.2  | 9  | 3 |
| 19   | 1.5  | 9  | 3 |
| 20   | 1    | 8  | 3 |
| 20   | 1.2  | 8  | 3 |
| 20   | 1.5  | 8  | 3 |
| 22   | 1    | 8  | 3 |
| 22   | 1.2  | 8  | 3 |
| 22   | 1.5  | 8  | 3 |
| 22   | 2    | 8  | 3 |
| 25   | 1    | 8  | 4 |
| 25   | 1.2  | 8  | 4 |
| 25   | 1.5  | 8  | 4 |
| 25   | 2    | 8  | 4 |
| 25.4 | 1.25 | 8  | 4 |
| 28   | 1    | 10 | 4 |
| 28   | 1.2  | 10 | 4 |
| 28   | 1.5  | 10 | 4 |
| 28   | 2    | 10 | 4 |
| 30   | 1    | 10 | 5 |
| 30   | 1.2  | 10 | 5 |
| 30   | 1.5  | 10 | 5 |
| 30   | 2    | 10 | 5 |
| 32   | 1.2  | 10 | 4 |
| 32   | 1.5  | 10 | 4 |
| 32   | 2    | 10 | 4 |
| 32   | 3    | 10 | 4 |
| 35   | 1    | 10 | 3 |
| 35   | 1.2  | 10 | 3 |
| 35   | 1.5  | 10 | 3 |
| 35   | 2    | 10 | 3 |



Copritesta rotondi in ABS neri, cromati, metallizzati ottone

Round insert in ABS black, chromed, brass plated

| Ø T. | S.T. | A  | B |
|------|------|----|---|
| Ø T. | S.T. | A  | B |
| 38   | 1.5  | 10 | 3 |
| 38   | 2    | 10 | 3 |
| 40   | 1    | 10 | 3 |
| 40   | 1.5  | 10 | 3 |
| 40   | 2    | 10 | 3 |
| 45   | 1.5  | 11 | 4 |
| 45   | 2    | 11 | 4 |
| 50   | 1    | 11 | 5 |
| 50   | 1.2  | 11 | 5 |
| 50   | 1.5  | 11 | 5 |
| 50   | 2    | 11 | 5 |
| 60   | 1    | 11 | 5 |
| 60   | 1.2  | 11 | 5 |
| 60   | 1.5  | 11 | 5 |
| 70   | 1.2  | 11 | 5 |
| 70   | 1.5  | 11 | 5 |
| 80   | 1.2  | 11 | 5 |
| 80   | 1.5  | 11 | 5 |
| 90   | 1.2  | 11 | 5 |
| 90   | 1.5  | 11 | 5 |
| 120  | 5    | 16 | 8 |





Giesse Ferramenta Srl  
Via Paolo Sarpi, 33  
20851 - Lissone (MB)  
Tel.– Fax 039 2459560  
[www.giesseferramenta.com](http://www.giesseferramenta.com)  
Email: [info@giesseferramenta.com](mailto:info@giesseferramenta.com)